

## **TYPICAL DOSAGES OF PIMARIPRO**

APPLICATION Yoghurt Drinking yoghurt Processed cheese Hard/semi hard cheese Cheese surfaces Milk, dairy beverages, dairy dessens	DOSAGE /gr. 5 - 10 gr/ton 20 - 50 gr/ton 10 - 20 gr/ton 200 - 400 gr/ton 200 - 400 gr/ton	METHOD Add to yoghurt mix directly. Add to mix before final mixing. Add prior to mixing. Coat or dip in a solution made with e.g. distilled water.
Drinking yoghurt Processed cheese Hard/semi hard cheese Cheese surfaces	20 - 50 gr/ton 10 - 20 gr/ton 200 - 400 gr/ton	Add to mix before final mixing. Add prior to mixing.
Processed cheese Hard/semi hard cheese Cheese surfaces	10 - 20 gr/ton 200 - 400 gr/ton	Add prior to mixing.
Hard/semi hard cheese Cheese surfaces	200 - 400 gr/ton	
Cheese surfaces	Ŭ	Coat or dip in a solution made with e.g. distilled water.
	200 - 400 ar/ton	
J	200 - 500/ton	Spray with a solution made with e.g. distilled water. Add to mix before final mechanical mixing.
Sausages/meat slices	150 - 300 gr/ton	Spray suspension on sausage surface and dip sausage casing into suspension.
Breads	1 - 2gr/kg.	Spray with a solution made with e.g. distilled water.
Tortillas and similar products	1 - 2gr/kg.	Spray with a solution made with e.g. distilled water.
Pasta and noddles	200 - 500/ton	Add during mixing.
Dips and dressings	200 - 500/ton	Add during mixing.
Salad dressings	200 - 500/ton	Add during mixing.
Ketchup	100 - 200/ton	Add during mixing raw materials.
Tomato paste	40 - 100/ton	Add during mixing.
Soft drinks	200 - 500/ton	Add during mixing.
Fruit juices	200 - 500/ton	Add during mixing.

